



**Idaho STD and HIV Infection by
Public Health District of Residence
April - June 2019**

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	0	154	28	4	0	0	186
2	1	70	11	0	0	1	83
3	0	365	72	2	0	4	443
4	3	590	138	9	0	3	743
5	2	208	40	0	0	4	254
6	0	129	36	2	0	0	167
7	1	131	8	1	0	1	142
Total	7	1,647	333	18	0	13	2,018

**Idaho STD and HIV Infection by
Public Health District of Residence
April - June 2018**

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	0	190	28	4	0	0	222
2	0	98	18	2	0	0	118
3	1	364	39	1	0	1	406
4	2	563	94	11	0	3	673
5	3	170	39	2	0	1	215
6	0	112	21	2	0	1	136
7	2	83	8	2	0	3	98
Total	8	1,580	247	24	0	9	1,868

*Data are provisional. Percentages may not sum to 100% due to rounding.

**Syphilis of ≤ 1 year duration: primary, secondary, and early latent syphilis

†Syphilis of > 1 year or unknown duration: late symptomatic, late latent, and unknown duration

¶Newly diagnosed HIV infection among residents of Idaho, including concurrent HIV Stage 3 (AIDS) diagnosis.

HIV infection as defined by CDC is inclusive of AIDS, where AIDS is now referred to as "HIV Stage 3."
HIV Stage 1, 2, 3, and Unknown are surveillance case definitions which take into account CD4 levels and clinical criteria.

For more information, visit <https://www.cdc.gov/nndss/conditions/>



Idaho District Health Departments		
District 1	Coeur d'Alene	208-415-5100
District 2	Lewiston	208-799-3100
District 3	Caldwell	208-455-5300
District 4	Boise	208-375-5211
District 5	Twin Falls	208-734-5900
District 6	Pocatello	208-233-9080
District 7	Idaho Falls	208-522-0310

Reported <u>Idaho</u> HIV and AIDS Cases Presumed Living ¹ by Diagnostic Status as of June 30, 2019							
District	HIV Cases ²	HIV Cases Reported Deceased	Presumed Living with HIV	AIDS Cases ³	AIDS Cases Reported Deceased	Presumed Living with AIDS	Reported HIV and AIDS Cases Presumed Living
1	112	10	102	219	90	129	231
2	57	12	45	98	34	64	109
3	141	15	126	221	76	145	271
4	526	53	473	646	273	373	846
5	104	12	92	151	53	98	190
6	88	13	75	161	69	92	167
7	87	6	81	123	53	70	151
TOTAL	1,115	121	994	1,619	648	971	1,965

¹ Presumed living: Cases ever reported in Idaho and not determined to be deceased.

² Number of reported cases of HIV Infection (not yet HIV Stage 3 [AIDS]) EVER REPORTED in Idaho, excluding those who were concurrently diagnosed with HIV Stage 3 (AIDS) or have progressed to HIV Stage 3 (AIDS).

³ Number of reported cases of Stage 3 HIV Infection (AIDS) ever reported in Idaho.

HIV and AIDS (HIV Stage 3) Among Residents of Idaho at Diagnosis by Case Status, January 1, 1984 - June 30, 2019						
		HIV		AIDS		COMBINED
Sex						
Male		518	84%	779	85%	1,297 85%
Female		102	16%	138	15%	240 15%
Total		620	100%	917	100%	1,537 100%
Pediatric/Adult & Adolescent						
Adults/Adolescents (13 or above)		617	100%	911	99%	1,528 99%
Pediatric (<13 years)		3	0%	6	1%	9 1%
Total		620	100%	917	100%	1,537 100%
Race/Ethnicity						
Hispanic - All Races		73	12%	114	12%	187 12%
Not Hispanic	American Indian/Alaska Native	12	2%	12	1%	24 2%
	Asian	9	1%	3	0%	12 1%
	Black	37	6%	39	4%	76 5%
	Native Hawaiian/Pacific Islander	0	0%	0	0%	0 0%
	White	462	75%	730	80%	1,192 78%
	Legacy Asian/Pacific Islander	0	0%	2	0%	2 0%
	Multi-race	6	1%	8	1%	14 1%
	Unknown	21	3%	9	1%	30 2%
Total		620	100%	917	100%	1,537 101%
Exposure Categories - Adults/Adolescents						
Men who have sex with men (MSM)		298	48%	455	50%	753 49%
Injection drug use		55	9%	93	10%	148 10%
MSM and inject drugs		69	11%	87	10%	156 10%
Hemophilia/Coagulation disorder		1	0%	18	2%	19 1%
High-risk heterosexual contact		68	11%	111	12%	179 12%
Presumed heterosexual contact		12	2%	20	2%	32 2%
Receipt of blood, components, or tissue		2	0%	11	1%	13 1%
Other/risk not reported or identified		112	18%	116	13%	228 15%
Total		617	100%	911	100%	1,528 100%
Exposure Categories - Pediatric						
Hemophilia/Coagulation disorder		0	0%	0	0%	0 0%
Mother with/at risk for HIV infection		3	100%	3	50%	6 67%
Receipt of blood, components, or tissue		0	0%	2	33%	2 22%
Other/risk not reported or identified		0	0%	1	17%	1 11%
Total		3	100%	6	100%	9 100%
Cases by Age Group						
Under 5		3	0%	2	0%	5 0%
5-12		0	0%	1	0%	1 0%
13-19		15	2%	8	1%	23 1%
20-29		261	42%	140	15%	401 26%
30-39		171	28%	352	38%	523 34%
40-49		112	18%	260	28%	372 24%
Over 49		58	9%	154	17%	212 14%
Unknown		0	0%	0	0%	0 0%
Total		620	100%	917	100%	1,500 99%

This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states. Data are provisional. Percentages may not sum to 100% due to rounding. Reports of HIV and AIDS cases should be made to the Idaho Department of Health & Welfare as required by Idaho Code 39-602. Data collection and publication are made possible through a federal grant from the Centers for Disease Control and Prevention – Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. Interested parties may e-mail Allen Haumann at allen.haumann@dhw.idaho.gov to be placed on an e-mail alert group to be signaled when each new issue of statistics is published.